

Product Images



DIP8



SMD8

Features

- Contact Form: 2a
- Load Voltage: 40V
- Load Current: 2.5A
- Low Off-State Leakage Current: 1 μ A

Application


- Automatic Test Equipment
- Telephone Equipment
- Sensing Equipment
- Security Equipment
- I/O Modules
- Modem

Types


Output Rating		Marking model	Part Number	
Load voltage	Load current		DIP	SMD
40V	2.5A	MJW251G	MJW251G	MJW251GA

Note: The "A" indicating the pin type is not marked on the product. Please refer to the ordering example model number when placing an order.

Dimensions




DIP8




SMD8

Terminal Identification



Wiring Diagram



[Technical parameters (Ambient Temperature 25°C)]

■ I/O Absolute Maximum Ratings

Item			Symbol	MJW251G
Operating Temperature			T _{OPR}	-40°C ~ +85°C
Storage Temperature			T _{STG}	-40°C ~ +100°C
Input	Continuous LED Current	MAX.	I _F	50mA
	Peak LED Current LED (f=100Hz,Duty=1%)	MAX.	I _{FP}	1000mA
	LED Reverse Voltage	MAX.	V _R	5V
	Input Power Dissipation	MAX.	P _{IN}	75mW
Output	Load Voltage	MAX.	V _L	40V(AC peak or DC)
	Load Current	MAX.	I _L	2.5A
	Peak Load Current(100ms,1shot)	MAX.	I _{PEAK}	4A
	Output Power Dissipation	MAX.	P _{OUT}	800mW
Total Power Dissipation		MAX.	P _T	850mW
I/O Breakdown Voltage		MAX.	V _{I/O}	3750Vrms
I/O Breakdown Voltage (Add H)		MAX.	V _{I/O}	5000Vrms

■ Electrical Specifications

Item			Symbol	MJW251	Conditions
Input	LED Forward Voltage	TYP.	V _F	1.3V	I _F =10mA
		MAX.		1.5V	
	Operation LED Current	TYP.	I _{F ON}	0.8mA	
		MAX.		2mA	
	Recovery LED Voltage	MIN.	V _{F OFF}	0.7V	
Output	On-Resistance	TYP.	R _{ON}	0.05Ω	I _F =5mA,I _L = Rating, within 1 sec.
		MAX.		0.1Ω	
	Off-State Leakage Current	MAX.	I _{LEAK}	1μA	V _L =Rating
	Output Capacitance	TYP.	C _{OUT}	150pF	V _L =0V,f=1MHz
Time parameters	Turn-On Time	TYP.	T _{ON}	0.8ms	I _F =10mA,I _L =100mA
		MAX.		2.5ms	
	Turn-Off Time	TYP.	T _{OFF}	0.02ms	
		MAX.		0.5ms	
I/O	I/O Insulation Resistance	MIN.	R _{I/O}	1000MΩ	DC500V
	I/O Capacitance	TYP.	C _{I/O}	0.8pF	f=1MHz
		MAX.		/	

Characteristic curve

